

V79 Exp. 6

100% 3HTdR Cluster

USER: 6 ID:HOWELL H3 PRESET TIME: 1.00 TUE 02 OCT 2001 10:42  
 SAMPLE REPEAT: 1 CYCLE REPEAT: 1 SCR:N RS232:N  
 H#: 1 AGC:N QCF:N RCM:N  
 CHANNEL 1-LL: 0 UL: 400 2SIGMA: 2.00 BKG SUB: 0.00 BKG 2SIG: 0.00 LSR: 0  
 DATA CALC: CPM, UNKNOWN REPLICATES: 1 NORM FACTOR: 0 1.00000  
 HALF LIFE(DAYS):N

SAM	PDS	CH	CPM	2SIG%	TIME	EL TIME	AVG H#	ERR
1	**	1	1.00	200.0	1.00	1.42	80.0	
2	**	2	9.00	66.67	1.00	3.00	81.0	M1
3	**	3	11.00	60.30	1.00	4.63	82.0	
4	**	4	8.00	70.71	1.00	6.19	79.0	M2
5	**	5	11.00	60.30	1.00	7.76	80.0	
6	**	6	11.00	60.30	1.00	9.38	82.0	
7	**	7	48084.00	1.82	0.25	10.24	81.0	M3
8	**	8	48812.00	1.81	0.25	11.10	81.0	
9	**	9	48956.00	1.81	0.25	11.96	82.0	
10	**	10	133890.00	1.73	0.10	12.67	80.0	M4
11	**	11	132433.33	1.42	0.15	13.37	80.0	
12	**	12	140750.00	1.69	0.10	14.08	80.0	
13	**	13	185493.33	1.20	0.15	14.79	81.0	M5
14	**	14	196400.00	1.17	0.15	15.50	82.0	
15	**	15	191260.00	1.18	0.15	16.21	81.0	
16	**	16	266060.00	1.00	0.15	16.93	82.0	M6
17	**	17	251253.33	1.03	0.15	17.64	82.0	
18	**	18	248786.66	1.04	0.15	18.36	82.0	
19	**	1	370926.66	0.85	0.15	19.13	81.0	M7
20	**	2	406253.31	0.81	0.15	19.86	82.0	
21	**	3	393919.97	0.82	0.15	20.58	81.0	
22	**	4	525370.00	0.87	0.10	21.33	80.0	M8
23	**	5	504326.66	0.73	0.15	22.07	81.0	
24	**	6	500959.97	0.73	0.15	22.80	82.0	
25	**	7	615126.62	0.66	0.15	23.55	82.0	M9
26	**	8	611800.00	0.81	0.10	24.31	81.0	
27	**	9	623400.00	0.65	0.15	25.06	81.0	
28	**	10	734080.00	0.60	0.15	25.82	80.0	M10
29	**	11	740806.62	0.60	0.15	26.58	81.0	
30	**	12	747920.00	0.60	0.15	27.33	82.0	
31	**	13	8.00	70.71	1.00	28.90	92.0	
32	**	14	5.00	89.44	1.00	30.52	92.0	C1
33	**	15	6.00	81.65	1.00	32.14	91.0	
34	**	16	5.00	89.44	1.00	33.71	92.0	
35	**	17				34.17		C2
36	**	18				34.64		101
37	24	1	5557.00	2.68	1.00	36.26	92.0	
38	24	2	5436.00	2.71	1.00	37.82	91.0	C3
39	24	3	5530.00	2.69	1.00	39.45	91.0	
40	24	4	15393.85	2.00	0.65	40.72	92.0	
41	24	5	15989.23	1.96	0.65	41.98	91.0	C4
42	24	6	13017.50	1.96	0.80	43.40	91.0	
43	24	7	20052.73	1.90	0.55	44.57	91.0	
44	24	8	20778.00	1.96	0.50	45.62	92.0	C5
45	24	9	21082.00	1.95	0.50	46.68	92.0	
46	24	10	25792.50	1.97	0.40	47.64	91.0	C6

No details

101  
101

SAM	POS	CH	CPM	ZSIG%	TIME	EL TIME	AVG H#	ERR
47	24-11	1	25917.50	1.96	0.40	48.65	91.0	} C6
48	24-12	1	23864.44	1.93	0.45	49.66	92.0	
49	24-13	1	38986.66	1.85	0.30	50.57	92.0	} C7
50	24-14	1	38238.33	1.87	0.30	51.48	92.0	
51	24-15	1	35636.66	1.93	0.30	52.33	91.0	
52	24-16	1	42960.00	1.93	0.25	53.13	92.0	} C8
53	24-17	1	38716.66	1.86	0.30	53.98	92.0	
54	24-18	1	41916.00	1.95	0.25	54.78	92.0	} C9
55	**- 1	1	41788.00	1.96	0.25	55.69	91.0	
56	**- 2	1	51680.00	1.97	0.20	56.49	92.0	
57	**- 3	1	50120.00	2.00	0.20	57.30	92.0	

RPT

RACK MOTION ERROR - ABORTING CURRENT USER

USER: 6 ID:HOWELL H3      PRESET TIME: 1.00      TUE 02 OCT 2001 12:13  
 SAMPLE REPEAT: 1 CYCLE REPEAT: 1 SDR:N      RS232:N  
 H#: 1 AGC:N BCF:N RCM:N  
 CHANNEL 1-LL: 0 UL: 400 2SIGMA: 2.00 BKG SUB: 0.00 BKG 2SIG: 0.00 LSR: 0  
 DATA CALC: CFM, UNKNOWN REPLICATES: 1      NORM FACTOR:0 1.00000  
 HALF LIFE(DAYS):N

SAM	POS	CH	CPM	2SIG%	TIME	EL TIME	AVG H#	ERR
1	**-	1	42588.00	1.94	0.25	0.66	90.0	
2	**-	2	51185.00	1.98	0.20	1.42	90.0	
3	**-	3	50185.00	2.00	0.20	2.22	92.0	
4	**-	4	81766.66	1.81	0.15	2.92	92.0	
5	**-	5	74933.33	1.89	0.15	3.62	91.0	
6	**-	6	80946.66	1.82	0.15	4.38	92.0	
7	**-	7	28888.57	1.99	0.35	5.34	-1.0	
8	**-	8	8.00	70.71	1.00	6.96	-3.0	

} C9 again  
 } C10  
 - std.